

DLX 90 GAS FURNACE

KeepRite®





This KeepRite® furnace comes with the newest heating technology and quality components to give you the ultimate in climate control. You get outstanding quiet, maximum energy savings, and exceptional warranties to assure you of long-lasting satisfaction.

Comforting quiet.

Quality construction leads to quiet performance that adds to your comfort.

Paying extra attention to details pays off in both energy savings and reducing noise. Insulation and a steel cabinet do double duty, both reducing sound and retaining heat to make maximum use of fuel. The multispeed circulation blower has also been designed to run quietly as well as efficiently.

Standing the test of time.

This furnace is built to last for years with components designed for durability as well as efficiency and safety. *The advanced ignition system uses space-age materials for maximum reliability. The heat exchangers are made of stainless steel and constructed weld-free to prevent cracking problems. Safety is handled by a single-stage gas valve operation, special sensors, and limit controls.*



Maximizing energy.

The 92.1% AFUE[†] rating is your assurance that the DLX 90 doesn't waste fuel — or your money.

The weld-free interlocking clamshell construction and the integrated ripple-edged design of the patented RPP® III heat exchanger increase heat transfer. The stainless steel secondary heat exchanger resists corrosion and adds to the efficiency.

Trouble-free warranties.

Get a lifetime limited warranty* on the primary and secondary heat exchangers and a 5 year limited warranty* on all other parts.

Added Indoor Air Quality products are covered by a 5 year limited warranty. KeepRite also offers HELP® extended service agreements for additional worry-free protection.*

*See published warranty for complete details.
†AFUE stands for Annual Fuel Utilization Efficiency.



Higher AFUE Equals Greater Energy Savings



Percentage based on national averages; may vary according to efficiency of current unit and installation.

DLX 90 GAS FURNACE



1 Reliable

Direct Hot Surface Ignition System features an advanced silicon nitride igniter for years of reliable starts.



2 System Monitoring

State-of-the-art electronic controls monitor system operation and allow for advanced diagnostics, a time-saving tool for technicians.



3 Energy Savings

Multispeed PSC circulation blower along with the induced draft blower assembly and gas valve contribute to efficient use of fuel and quiet operation.





4 Durable

The RPJ® III primary heat exchanger is made of corrosion-resistant weld-free stainless steel. The unique integrated ripple-edged design forces more heat to the outside surface area for higher efficiencies.



5 Quiet

The solid door design and the thermal-lined and insulated cabinet reduce operating noise.






Keep warm, keep cool with KeepRite.

- a. Humidifier** enhances comfort by reducing dryness in the air.
- b. Air Cleaner** filters out indoor air pollutants so you can breathe easier.
- c. Set-Back Thermostat** allows you to customize heating and cooling levels and also save energy.
- d. Furnace** is designed for maximum comfort and high efficiency and built rugged for years of operation.
- e. Air Conditioner** keeps your home cool and comfortable while saving on energy.
- f. Evaporator/Indoor Coil** to match with the KeepRite air conditioner and furnace assures you of optimum performance.
- g. UV Lights** help prevent the growth of microbes on the coils.

The best choice for your home.

DLX 90 Gas Furnace

| KEEPRITE Gas Furnace Comparison | MODELS | | | | | |
|---|---|---|---|---|---|---|
| | VS 90 | IIS 90 | DLX 90 | VS 80 | IIS 80 | DLX 80 |
| MODEL SERIES | C9MPV | C9MPT | C9MPD | C8MPV | C8MPT | C8MPN |
| ENERGY SAVINGS AFUE* rating |  92% |  92% |  92% | 80% | 80% | 80% |
| HEAT EXCHANGER WARRANTY | LIFE TIME | LIFE TIME | LIFE TIME | 25YR | 25YR | 20YR |
| NO HASSLE REPLACEMENT WARRANTY | 10YR | 7YR | 5YR | 10YR | 7YR | 1YR |
| PARTS WARRANTY | 7YR | 5YR | 5YR | 7YR | 5YR | 5YR |
| RPJ™ III HEAT EXCHANGER <small>Patented weld-free construction</small> | STAINLESS STEEL | STAINLESS STEEL | STAINLESS STEEL | ALUMINIZED STEEL | ALUMINIZED STEEL | ALUMINIZED STEEL |
| VARIABLE SPEED DC CIRCULATION BLOWER MOTOR <small>Quiet, even airflow</small> | ● | ○ | ○ | ● | ○ | ○ |
| TWO-STAGE OPERATION <small>Self-adjusting heat modes</small> | ● | ● | ○ | ● | ● | ○ |
| BTUs | 50,000-125,000 | 50,000-125,000 | 50,000-125,000 | 50,000-125,000 | 50,000-125,000 | 50,000-125,000 |
| COMPACT DIMENSIONS H x W x D <small>Fits variety of installation spaces</small> | 40" x 19 1/8" - 24 1/2" x 29" | 40" x 19 1/8" - 24 1/2" x 29" | 40" x 19 1/8" - 24 1/2" x 29" | 40" x 15 1/2" - 22 3/4" x 29" | 40" x 15 1/2" - 22 3/4" x 29" | 40" x 15 1/2" - 24 1/2" x 29" |

*AFUE stands for Annual Fuel Utilization Efficiency. Higher number= Greater savings.

KeepRite®

THE PROS KNOW

P.O. Box 128
Lewisburg, TN 37091

www.keeperite.com



ISO 9001:
2000 Registered

As part of its commitment to quality, International Comfort Products, LLC reserves the right to change specifications on its products without notice. Illustrations and photographs in this brochure are only representative. Some product models may vary.

C9MPD/C9MPL/C9DNL Series
© 2006 International Comfort Products, LLC
A member of the United Technologies Corporation family. Stock symbol UTX.

Part No. 440-39-1115-01
Printed 04/06